This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:				
☐ BLACK BORDERS				
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES				
☐ FADED TEXT OR DRAWING				
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING				
☐ SKEWED/SLANTED IMAGES				
COLOR OR BLACK AND WHITE PHOTOGRAPHS				
☐ GRAY SCALE DOCUMENTS				
LINES OR MARKS ON ORIGINAL DOCUMENT				
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOF	R QUALITY			
□ OTHER.				

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L	Hits	Search Text	DB	Time stamp
Number				
1	3	(("6,408,290") or ("6,345,265") or	USPAT;	2004/08/21
<u> </u>		("6,556,958")).PN.	US-PGPUB	22:31
2	12	Bayesian adj network and database and	USPAT;	2004/08/21
		expectation add maximization	US-PGPUB	22:32

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE Publications/Services Standards Conferences IEEE Xplore® t Million Documents Welcome f Million Users United States Patent and Trademark Office » Search Results Quick Links FAQ Terms IEEE Peer Review Welcome in IEEE Xalore Your search matched 0 of 1062489 documents. O- Home A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in What Can Descending order. I Access? - Log-out Refine This Search: You may refine your search by editing the current search expression or entering a Tables of Contents new one in the text box. Journals bayesian network<and>database<and>expectation mail Search & Magazines Check to search within this result set Conference **Proceedings** Results Key: ≻ Standards JNL = Journal or Magazine CNF = Conference STD = Standard Search O- By Author O- Basic Results: No documents matched your query. Advanced · Join IEEE Establish IEEE Web Account Or Access the IEEE Member Digital Library Cr Access the

Print Format

IEEE Enterprise File Cabinet

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | O Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to

Copyright © 2004 IEEE - All rights reserved

h e eee g e ch e ch e

е

e

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Public	<i>Selere</i>	United	Welcon	rs/Jobs ie d Trademark Office w	I EEE Xplore® 1 Million Documents 1 Million Users
lelp FAQ Terms IEE	E Peer Review	Quick Links		J	» Search Results
O- Home O- What Can I Access?		of 500 result	1062489 doc s are displayed	uments. I, 15 to a page, sorte	ed by Relevance in
O- Log-out	Refine This	Search:			
	•	fine your seard the text box.	h by editing th	e current search exp	pression or entering a
O- Journals & Magazines	bayesian net	twork <and> exp</and>	ectation maximi	zation Search	
Conference Proceedings	Check to	search within	this result set		
O- Standards	Results Ke		e CNF = Con	ference STD = Sta	ndard
Seach By Author Basic Advanced	Ronen, O.; I	Rohlicek, J.R.; essing Letters,	Ostendorf, M.		ing the EM algorithm
Monte de Services Or Join IEEE Or Establish IEEE Web Account	[Abstract]	[PDF Full-Tex	t (220 KB)]	IEEE JNL	
O- Access the IEEE Member Digital Library					
O- Access the					

Print Format

IEEE Enterprise File Cabinel

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | O
Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to

Copyright © 2004 IEEE - All rights reserved



US Patent & Trademark Office

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

"Bayesian network" and database and "expectation maximizati



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used <u>Bayesian network</u> and <u>database</u> and <u>expectation</u> maximization

Found **2,561** of **141,345**

Sort results by

Display

results

relevance expanded form

Save results to a Binder

Open results in a new

window

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 nex

Best 200 shown

Relevance scale 🔲 🖵 📟 📟

1 <u>Item-based top-N recommendation algorithms</u>

Mukund Deshpande, George Karypis

January 2004 ACM Transactions on Information Systems (TOIS), Volume 22 Issue 1

Full text available: pdf(240.61 KB) Additional Information: full citation, abstract, references, index terms

The explosive growth of the world-wide-web and the emergence of e-commerce has led to the development of *recommender systems---*a personalized information filtering technology used to identify a set of items that will be of interest to a certain user. User-based collaborative filtering is the most successful technology for building recommender systems to date and is extensively used in many commercial recommender systems. Unfortunately, the computational complexity of these methods grows I ...

Keywords: e-commerce, predicting user behavior, world wide web

2 Probabilistic query models for transaction data

Dmitry Pavlov, Padhraic Smyth

August 2001 Proceedings of the seventh ACM SIGKDD international conference on Knowledge discovery and data mining

Full text available: pdf(958.33 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

We investigate the application of Bayesian networks, Markov random fields, and mixture models to the problem of query answering for transaction data sets. We formulate two versions of the querying problem: the query selectivity estimation (i.e., finding exact counts for tuples in a data set) and the query generalization problem (i.e., computing the probability that a tuple will occur in new data). We show that frequent itemsets are useful for reducing the original data to a compressed representa ...

3 Special issue on the fusion of domain knowledge with data for decision support: Fusion of domain knowledge with data for structural learning in object oriented domains



Full text available: pdf(227.18 KB) Additional Information: full citation, abstract, index terms

When constructing a Bayesian network, it can be advantageous to employ structural learning algorithms to combine knowledge captured in databases with prior information

provided by domain experts. Unfortunately, conventional learning algorithms do not easily incorporate prior information, if this information is too vague to be encoded as properties that are local to families of variables. For instance, conventional algorithms do not exploit prior information about repetitive structures, which are ...

4 Posters: Combining speech and haptics for intuitive and efficient navigation through image databases

Thomas Käster, Michael Pfeiffer, Christian Bauckhage

November 2003 Proceedings of the 5th international conference on Multimodal interfaces

Full text available: pdf(239.65 KB) Additional Information: full citation, abstract, references, index terms

Given the size of todays professional image databases, the stan-dard approach to object- or theme-related image retrieval is to in-teractively navigate through the content. But as most users of such databases are designers or artists who do not have a technical back-ground, navigation interfaces must be intuitive to use and easy to learn. This paper reports on efforts towards this goal. We present a system for intuitive image retrieval that features different moda-lities for interaction. Apart f ...

Keywords: content-based image retrieval, fusion of haptics, multimodal interface evaluation, speech, vision processing

Multi Relational Data Mining (MRDM): Probabilistic logic learning Luc De Raedt, Kristian Kersting July 2003 ACM SIGKDD Explorations Newsletter, Volume 5 Issue 1

Full text available: pdf(1.98 MB)

Additional Information: full citation, abstract, references, citings

The past few years have witnessed an significant interest in probabilistic logic learning, i.e. in research lying at the intersection of probabilistic reasoning, logical representations, and machine learning. A rich variety of different formalisms and learning techniques have been developed. This paper provides an introductory survey and overview of the state-of-the-art in probabilistic logic learning through the identification of a number of important probabilistic, logical and learning concept ...

Keywords: data mining, inductive logic programming, machine learning, multi-relational data mining, probabilistic reasoning, uncertainty

Video retrieval: Semi-supervised learning for facial expression recognition Ira Cohen, Nicu Sebe, Fabio G. Cozman, Thomas S. Huang November 2003 Proceedings of the 5th ACM SIGMM international workshop on Multimedia information retrieval

Full text available: pdf(341.70 KB) Additional Information: full citation, abstract, references, index terms

Automatic classification by machines is one of the basic tasks required in any pattern recognition and human computer interaction applications. In this paper, we discuss training probabilistic classifiers with labeled and unlabeled data. We provide an analysis which shows under what conditions unlabeled data can be used in learning to improve classification performance. We discuss the implications of this analysis to a specific type of probabilistic classifiers, Bayesian networks, and propose a ...

Keywords: Bayesian networks, facial expression recognition, semi-supervised learning

7 <u>Modeling dependencies in protein-DNA binding sites</u>

С



Yoseph Barash, Gal Elidan, Nir Friedman, Tommy Kaplan

April 2003 Proceedings of the seventh annual international conference on Computational molecular biology

Full text available: pdf(411.94 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

The availability of whole genome sequences and high-throughput genomic assays opens the door for *in silico* analysis of transcription regulation. This includes methods for discovering and characterizing the binding sites of DNA-binding proteins, such as transcription factors. A common representation of transcription factor binding sites is a *position specific score matrix* (PSSM). This representation makes the strong assumption that binding site positions are independent of each othe ...

Keywords: DNA sequence motifs, bayesian networks, factors binding sites, transcription

8 Multi Relational Data Mining (MRDM): Biological applications of multi-relational data mining

David Page, Mark Craven

July 2003 ACM SIGKDD Explorations Newsletter, Volume 5 Issue 1

Full text available: pdf(1.12 MB)

Additional Information: full citation, abstract, references, citings

Biological databases contain a wide variety of data types, often with rich relational structure. Consequently multi-relational data mining techniques frequently are applied to biological data. This paper presents several applications of multi-relational data mining to biological data, taking care to cover a broad range of multi-relational data mining techniques.

9 Survey articles: Data mining for hypertext: a tutorial survey

Soumen Chakrabarti

January 2000 ACM SIGKDD Explorations Newsletter, Volume 1 Issue 2

Full text available: pdf(1.19 MB)

Additional Information: full citation, abstract, references, citings

With over 800 million pages covering most areas of human endeavor, the World-wide Web is a fertile ground for data mining research to make a difference to the effectiveness of information search. Today, Web surfers access the Web through two dominant interfaces: clicking on hyperlinks and searching via keyword queries. This process is often tentative and unsatisfactory. Better support is needed for expressing one's information need and dealing with a search result in more structured ways than av ...

10 Context-specific Bayesian clustering for gene expression data

Yoseph Barash, Nir Friedman

April 2001 Proceedings of the fifth annual international conference on Computational biology

Full text available: pdf(233.32 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

The recent growth in genomic data and measurement of genome-wide expression patterns allows to examine gene regulation by transcription factors using computational tools. In this work, we present a class of mathematical models that help in understanding the connections between transcription factors and functional classes of genes based on genetic and genomic data. These models represent the joint distribution of transcription factor binding sites and of expression levels of a gene in a single ...

11 Towards automated synthesis of data mining programs

Wray Buntine, Bernd Fischer, Thomas Pressburger

August 1999 Proceedings of the fifth ACM SIGKDD international conference on

Knowledge discovery and data mining

Full text available: pdf(637.67 KB) Additional Information: full citation, references, index terms

12 Protocols: Similarity measure and instance selection for collaborative filtering Chun Zeng, Chun-Xiao Xing, Li-Zhu Zhou

May 2003 Proceedings of the twelfth international conference on World Wide Web

Full text available: pdf(306.48 KB) Additional Information: full citation, abstract, references, index terms

Collaborative filtering has been very successful in both research and applications such as information filtering and E-commerce. The k-Nearest Neighbor (KNN) method is a popular way for its realization. Its key technique is to find k nearest neighbors for a given user to predict his interests. However, this method suffers from two fundamental problems: sparsity and scalability. In this paper, we present our solutions for these two problems. We adopt two techniques: a matrix conversion method for ...

Keywords: collaborative filtering, instance selection, similarity measure

13 From promoter sequence to expression: a probabilistic framework
Eran Segal, Yoseph Barash, Itamar Simon, Nir Friedman, Daphne Koller
April 2002 Proceedings of the sixth annual international conference on Computational biology

Full text available: pdf(3.22 MB) Additional Information: full citation, abstract, citings, index terms

We present a probabilistic framework that models the process by which transcriptional binding explains the mRNA expression of different genes. Our joint probabilistic model unifies the two key components of this process: the prediction of gene regulation events from sequence motifs in the gene's promoter region, and the prediction of mRNA expression from combinations of gene regulation events in different settings. Our approach has several advantages. By learning promoter sequence motifs that ar ...

14 A discriminative model for identifying spatial cis-regulatory modules Eran Segal, Roded Sharan

March 2004 **Proceedings of the eighth annual international conference on Computational molecular biology**

Full text available: pdf(280.23 KB) Additional Information: full citation, abstract, references, index terms

Transcriptional regulation is mediated by the coordinated binding of transcription factors to the upstream region of genes. In higher eukaryotes, the binding sites of cooperating transcription factors are organized into short sequence units, called cis-regulatory modules. In this paper we propose a method for identifying modules of transcription factor binding sites in a set of co-regulated genes, using only the raw sequence data as input. Our method is based on a novel probabilistic model that ...

Keywords: cis-regulatory module, probabilistic model, transcriptional regulation

15 Motion texture: a two-level statistical model for character motion synthesis Yan Li, Tianshu Wang, Heung-Yeung Shum

July 2002 ACM Transactions on Graphics (TOG), Proceedings of the 29th annual conference on Computer graphics and interactive techniques, Volume 21 Issue 3

Full text available: pdf(5.06 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

In this paper, we describe a novel technique, called motion texture, for synthesizing

c ge cf c

complex human-figure motion (e.g., dancing) that is statistically similar to the original motion captured data. We define motion texture as a set of motion textons and their distribution, which characterize the stochastic and dynamic nature of the captured motion. Specifically, a motion texton is modeled by a linear dynamic system (LDS) while the texton distribution is represented by a transition matrix indicat ...

Keywords: linear dynamic systems, motion editing, motion synthesis, motion texture, texture synthesis

Soumen Chakrabarti
August 2000 Tutorial notes of the sixth ACM SIGKDD international conference on
Knowledge discovery and data mining
Full text available: pdf(1.08 MB) Additional Information: full citation, index terms

17 Web search 1: Searching web databases by structuring keyword-based queries
Pável Calado, Altigran S. da Silva, Rodrigo C. Vieira, Alberto H. F. Laender, Berthier A. RibeiroNeto
November 2002 Proceedings of the eleventh international conference on Information
and knowledge management

Full text excitable: Part (204.23 KB) Additional Information: full citation, abstract, references, citings, index

On-line information services have become widespread in the Web nowadays. However, Web users are non-specialized and have a great variety of interests. Thus, interfaces for Web databases must be simple and uniform. In this paper we present an approach, based on Bayesian networks, for querying Web databases using keywords only. According to this approach, the user inputs a query through a simple search-box interface. From the input query, one or more plausible structured queries are derived and su ...

Keywords: query structuring, structured queries, web databases

18 Industry track papers: On the potential of domain literature for clustering and Bayesian network learning

Peter Antal, Patrick Glenisson, Geert Fannes

July 2002 Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining

Full text available: pdf(1.10 MB)

Full text available: pdf(204.22 KB)

Additional Information: full citation, abstract, references, index terms

Thanks to its increasing availability, electronic literature can now be a major source of information when developing complex statistical models where data is scarce or contains much noise. This raises the question of how to integrate information from domain literature with statistical data. Because quantifying similarities or dependencies between variables is a basic building block in knowledge discovery, we consider here the following question. Which vector representations of text and which st ...

Keywords: Bayesian networks, clustering, data mining, text mining

19 Poster papers: Mining complex models from arbitrarily large databases in constant time

Geoff Hulten, Pedro Domingos

July 2002 Proceedings of the eighth ACM SIGKDD international conference on

Knowledge discovery and data mining

Full text available: pdf(653.58 KB)

Additional Information: full citation, abstract, references, citings, index terms

In this paper we propose a scaling-up method that is applicable to essentially any induction algorithm based on discrete search. The result of applying the method to an algorithm is that its running time becomes independent of the size of the database, while the decisions made are essentially identical to those that would be made given infinite data. The method works within pre-specified memory limits and, as long as the data is iid, only requires accessing it sequentially. It gives anytime resu ...

Keywords: Bayesian networks, Hoeffding bounds, discrete search, scalable learning algorithms, subsampling

20 Classification and browsing: Structuring keyword-based queries for web databases Rodrigo C. Vieira, Pavel Calado, Altigran S. da Silva, Alberto H. F. Laender, Berthier A. Ribeiro-

July 2002 Proceedings of the second ACM/IEEE-CS joint conference on Digital libraries

Full text available: pdf(116.95 KB) Additional Information: full citation, abstract, references, index terms

This paper describes a framework, based on Bayesian belief networks, for querying Web databases using keywords only. According to this framework, the user inputs a query through a simple search-box. From the input query, one or more plausible structured queries are derived and submitted to Web databases. The results are then retrieved and presented to the user as ranked answers. To evaluate our framework, an experiment using 38 example queries was carried out. We found out that 97% of the time, ...

Keywords: bayesian belief networks, web databases, web query

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2004 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime WMndows Media Player Real Player



US Patent & Trademark Office

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

"Bayesian network" and database and "expectation maximizati



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used <u>Bayesian network</u> and <u>database</u> and <u>expectation</u> maximization

Found **2,561** of **141,345**

Try an Advanced Search Sort results Save results to a Binder relevance Try this search in The ACM Guide by Search Tips Display expanded form Open results in a new results window Result page: previous 1 2 3 4 5 6 7 8 9 10 Results 21 - 40 of 200 Relevance scale Best 200 shown 21 KDD-99 conference reports: Profiling your customers using Bayesian networks

21 KDD-99 conference reports: Profiling your customers using Bayesian networ Paola Sebastiani, Marco Ramoni, Alexander Crea January 2000 ACM SIGKDD Explorations Newsletter, Volume 1 Issue 2

Full text available: pdf(1.22 MB) Additional Information: full citation, abstract

This report describes a complete Knowledge Discovery session using Bayesware Discoverer, a program for the induction of Bayesian networks from incomplete data. We build two causal models to help an American Charitable Organization understand the characteristics of respondents to direct mail fund raising campaigns. The first model is a Bayesian network induced from the database of 96,376 Lapsed donors to the June '97 renewal mailing. The network describes the dependency of the probability of resp ...

Keywords: Bayesian networks, customer profiling, missing data

22 Research sessions: text and DB: When one sample is not enough: improving text database selection using shrinkage Panagiotis G. Ipeirotis, Luis Gravano

June 2004 Proceedings of the 2004 ACM SIGMOD international conference on Management of data

Full text available: pdf(391,26 KB) Additional Information: full citation, abstract, references

Database selection is an important step when searching over large numbers of distributed text databases. The database selection task relies on statistical summaries of the database contents, which are not typically exported by databases. Previous research has developed algorithms for constructing an approximate content summary of a text database from a small document sample extracted via querying. Unfortunately, Zipf's law practically quarantees that content summaries built this way for any rela ...

23 <u>Automatically structured and translated queries: The effectiveness of automatically structured queries in digital libraries</u>

Marcos André Gonçalves, Edward A. Fox, Aaron Krowne, Pável Calado, Alberto H. F. Laender, Altigran S. da Silva, Berthier Ribeiro-Neto

June 2004 Proceedings of the 2004 joint ACM/IEEE conference on Digital libraries

Full text available: pdf(295.40 KB) Additional Information: full citation, abstract, references, index terms

Structured or fielded metadata is the basis for many digital library services, including

searching and browsing. Yet, little is known about the impact of using structure on the effectiveness of such services. In this paper, we investigate a key research question: do structured queries improve effectiveness in DL searching? To answer this question, we empirically compared the use of unstructured queries to the use of structured queries. We then tested the capability of a simple Bayesian network s ...

Keywords: bayesian networks, digital libraries, structured queries

24 Special issue on the fusion of domain knowledge with data for decision support Combining knowledge from different sources in causal probabilistic models Marek J. Druzdzel, Francisco J. Díez December 2003 The Journal of Machine Learning Research, Volume 4						
	Full text available: pdf(140.32 KB) Additional Information: full citation, abstract, index terms					
	Building probabilistic and decision-theoretic models requires a considerable knowledge engineering effort in which the most daunting task is obtaining the numerical parameters. Authors of Bayesian networks usually combine various sources of information, such as textbooks, statistical reports, databases, and expert judgement. In this paper, we demonstrate the risks of such a combination, even when this knowledge encompasses such seemingly population-independent characteristics as sensitivity and					
25	NSF workshop on industrial/academic cooperation in database systems Mike Carey, Len Seligman March 1999 ACM SIGMOD Record, Volume 28 Issue 1	200				
	Full text available: ndf(1.96 MB) Additional Information: full citation, index terms					
26	Exploration mining in diabetic patients databases: findings and conclusions Wynne Hsu, Mong Li Lee, Bing Liu, Tok Wang Ling August 2000 Proceedings of the sixth ACM SIGKDD international conference on Knowledge discovery and data mining Full text available: pdf(136.53 KB) Additional Information: full citation, references, citings, index terms	1000,000				
27	Database session 1: querying high-dimensional data: Approximate searches: k- neighbors + precision Sid-Ahmed Berrani, Laurent Amsaleg, Patrick Gros November 2003 Proceedings of the twelfth international conference on Information and knowledge management					
	Full text available: pdf(154.57 KB) Additional Information: full citation, abstract, references, citings, index terms					
	It is known that all multi-dimensional index structures fail to accelerate content-based similarity searches when the feature vectors describing images are high-dimensional. It is possible to circumvent this problem by relying on approximate search-schemes trading-off result quality for reduced query execution time. Most approximate schemes, however, provide none or only complex control on the precision of the searches, especially when retrieving the k nearest neighbors (NNs) of query poi					
	Keywords : approximate nearest-neighbor searches, multimedia databases, similarity searches					

h

cf

e

e

g e

С

28 Selectivity estimation using probabilistic models Lise Getoor, Benjamin Taskar, Daphne Koller	ns8kmi
May 2001 ACM SIGMOD Record, Proceedings of the 2001 ACM SIGMOD international	
conference on Management of data, Volume 30 Issue 2	
Full text available: pdf(525.74 KB) Additional Information: full citation, abstract, references, citings, index terms	
Estimating the result size of complex queries that involve selection on multiple attributes and the join of several relations is a difficult but fundamental task in database query processing. It arises in cost-based query optimization, query profiling, and approximate query answering. In this paper, we show how probabilistic graphical models can be effectively used for this task as an accurate and compact approximation of the joint frequency distribution of multiple attributes across multiple	
Property from KDD-2001: KDD Cup 2001 report Jie Cheng, Christos Hatzis, Hisashi Hayashi, Mark-A. Krogel, Shinichi Morishita, David Page, Jun Sese	- CO-C
January 2002 ACM SIGKDD Explorations Newsletter, Volume 3 Issue 2	
Full text available: pdf(1.96 MB) Additional Information: <u>full citation, abstract, references, citings</u>	
This paper presents results and lessons from KDD Cup 2001. KDD Cup 2001 focused on mining biological databases. It involved three cutting-edge tasks related to drug design and genomics.	
Keywords: Competition, biology, drug design, genomics	
30 Evolving data mining into solutions for insights: Scaling mining algorithms to large databases Paul Bradley, Johannes Gehrke, Raghu Ramakrishnan, Ramakrishnan Srikant	200000
August 2002 Communications of the ACM, Volume 45 Issue 8 Full text available: Additional Information, 5ull pitetion, shetrost, references, index terms	
Additional Information: <u>full citation</u> , <u>abstract</u> , <u>references</u> , <u>index terms</u>	
Which insights about data structure make it possible to analyze the very large databases collected by Internet, business, scientific, and government applications?	
Special issue on ICML: Learning probabilistic models of link structure Lisa Getoor, Nir Friedman, Daphne Koller, Benjamin Taskar March 2003 The Journal of Machine Learning Research, Volume 3	and other
Full text available: pdf(479.67 KB) Additional Information: full citation, abstract, index terms	
Most real-world data is heterogeneous and richly interconnected. Examples include the Web, hypertext, bibliometric data and social networks. In contrast, most statistical learning methods work with "flat" data representations, forcing us to convert our data into a form that loses much of the link structure. The recently introduced framework of <i>probabilistic relational models</i> (PRMs) embraces the object-relational nature of structured data by capturing probabilistic interactions between att	
SPARTAN: a model-based semantic compression system for massive data tables Shivnath Babu, Minos Garofalakis, Rajeev Rastogi May 2001 ACM SIGMOD Record, Proceedings of the 2001 ACM SIGMOD international conference on Management of data, Volume 30 Issue 2 Full text available: pdf(240.19 KB) Additional Information: full citation, abstract, references, citings, index terms	

b e

While a variety of lossy compression schemes have been developed for certain forms of digital data (e.g., images, audio, video), the area of lossy compression techniques for arbitrary data tables has been left relatively unexplored. Nevertheless, such techniques are clearly motivated by the ever-increasing data collection rates of modern enterprises and the need for effective, guaranteed-quality approximate answers to queries over massive relational data sets. In this paper, we propose *SPA* ...

33 Efficient discovery of error-tolerant frequent itemsets in high dimensions
Cheng Yang, Usama Fayyad, Paul S. Bradley
August 2001 Proceedings of the seventh ACM SIGKDD international conference on

Knowledge discovery and data mining

Additional Information: full citation, abstract, references, citings, index

terms

We present a generalization of frequent itemsets allowing for the notion of errors in the itemset definition. We motivate the problem and present an efficient algorithm that identifies error-tolerant frequent clusters of items in transactional data (customer-purchase data, web browsing data, text, etc.). The algorithm exploits sparseness of the underlying data to find large groups of items that are correlated over database records (rows). The notion of transaction coverage allows us to extend th ...

Keywords: Error-tolerant frequent itemset, clustering, collaborative filtering, high dimensions, query selectivity estimation

34 Probabilistic object bases

Full text available: pdf(1.11 MB)

Thomas Eiter, James J. Lu, Thomas Lukasiewicz, V. S. Subrahmanian September 2001 **ACM Transactions on Database Systems (TODS)**, Volume 26 Issue 3

Full text available: 📆 pdf(663.73 KB) Additional Information: full citation, abstract, references, index terms

Although there are many applications where an object-oriented data model is a good way of representing and querying data, current object database systems are unable to handle objects whose attributes are uncertain. In this article, we extend previous work by Kornatzky and Shimony to develop an algebra to handle object bases with uncertainty. We propose concepts of consistency for such object bases, together with an NP-completeness result, and classes of probabilistic object bases for which consi ...

Keywords: Consistency, object-oriented database, probabilistic object algebra, probabilistic object base, probability, query language, query optimization

35 Spatial decision support system for land assessment

Cláudio Chauke Nehme, Margareth Simões

November 1999 Proceedings of the seventh ACM international symposium on Advances in geographic information systems

Full text available: Report of the policy of

Keywords: GIS, agriculture planning, artificial intelligence, decision support system, expert system, geoinformatics, geoinformation system, land evaluation, land use planning

Research track: Probabilistic discovery of time series motifs

Bill Chiu, Eamonn Keogh, Stefano Lonardi

August 2003 Proceedings of the pinth ACM STGKDD international

August 2003 Proceedings of the ninth ACM SIGKDD international conference on Knowledge discovery and data mining Full text available: pdf(443.89 KB) Additional Information: full citation, abstract, references, index terms

Several important time series data mining problems reduce to the core task of finding approximately repeated subsequences in a longer time series. In an earlier work, we formalized the idea of approximately repeated subsequences by introducing the notion of time series motifs. Two limitations of this work were the poor scalability of the motif discovery algorithm, and the inability to discover motifs in the presence of noise. Here we address these limitations by introducing a novel algorithm insp ...

Keywords: data mining, motifs, randomized algorithms, time series

37 Accepted Posters: Information filtering using bayesian networks: effective user interfaces for aviation weather data

Corinne Clinton Ruokangas, Ole J. Mengshoel

January 2003 Proceedings of the 8th international conference on Intelligent user interfaces

Full text available: pdf(1.09 MB)

Additional Information: full citation, abstract, references, index terms

Weather is a complex, dynamic process with tremendous impact on aviation. While pilots often have access to large amounts of aviation weather data, they find it difficult and time-consuming to identify weather hazards, due to the sheer amount and cryptic formatting of the data. To address this challenge, we have developed information filtering concepts based on a unified Bayesian network model, integrating text and graphical weather data in the context of specific mission, equipment and personal ...

Keywords: bayesian models, bayesian networks, data filtering, information management, intelligent visualization, situation awareness

38 Research sessions: query optimization: CORDS: automatic discovery of correlations and soft functional dependencies

Ihab F. Ilyas, Volker Markl, Peter Haas, Paul Brown, Ashraf Aboulnaga
June 2004 Proceedings of the 2004 ACM SIGMOD international conference on
Management of data

Full text available: pdf(559.35 KB) Additional Information: full citation, abstract, references

The risk dependency of resture found in the columns of real world relational

The rich dependency structure found in the columns of real-world relational databases can be exploited to great advantage, but can also cause query optimizers---which usually assume that columns are statistically independent---to underestimate the selectivities of conjunctive predicates by orders of magnitude. We introduce CORDS, an efficient and scalable tool for automatic discovery of correlations and soft functional dependencies between columns. CORDS searches for column pairs that might have ...

39 Compressed data cubes for OLAP aggregate query approximation on continuous dimensions

Jayavel Shanmugasundaram, Usama Fayyad, P. S. Bradley

August 1999 Proceedings of the fifth ACM SIGKDD international conference on Knowledge discovery and data mining

Full text available: pdf(1.12 MB)

cf

g e

h

Additional Information: full citation, references, citings, index terms

b e

Keywords: OLAP, approximate query answering, clustering, data cubes, data mining, density estimation

40 Constraints in data mining: SPARTAN: using constrained models for guaranteed-error semantic compression

Shivnath Babu, Minos Garofalakis, Rajeev Rastogi June 2002 **ACM SIGKDD Explorations Newsletter**, Volume 4 Issue 1

Full text available: pdf(259.12 KB) Additional Information: full citation, abstract, references, citings

While a variety of lossy compression schemes have been developed for certain forms of digital data (e.g., images, audio, video), the area of lossy compression techniques for arbitrary data tables has been left relatively unexplored. Nevertheless, such techniques are clearly motivated by the ever-increasing data collection rates of modern enterprises and the need for effective, guaranteed-quality approximate answers to queries over massive relational data sets.In this paper, we propose *SPARTAN* ...

Results 21 - 40 of 200

Result page: previous 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player

USPTO	PATENT	Full-T	EXT AND	[MAGE]	DATABASE
				<u> </u>	

<u>Home</u>	Quick	Advan	ced Pat Num	Help
	Bot	tom	View Cart	

Searching 1976 to present...

Results of Search in 1976 to present db for: (("Bayesian network" AND database) AND "expectation maximization"): 8 patents. Hits 1 through 8 out of 8

and the second of the second o	***************************************
Jump To	1
	1
	1
	1

Refine Search "Bayesian network" and database and "expectation may

PAT. NO. Title

- 1 6,701,016 Method of learning deformation models to facilitate pattern matching
- 2 6,616,529 Simulation and synthesis of sports matches
- 3 6,556,958 T Fast clustering with sparse data
- 4 6,529,891 Automatic determination of the number of clusters by mixtures of bayesian networks
- 5 6,496,816 Collaborative filtering with mixtures of bayesian networks
- 6 6,408,290 Mixtures of bayesian networks with decision graphs
- 7 6,345,265 Clustering with mixtures of bayesian networks
- 8 6,336,108 T Speech recognition with mixtures of bayesian networks

	T ₁	op Yiew	Cart	
Home	Quick	Advanced	<u>Pat Num</u>	<u>Help</u>